



# Mark Scheme (Results)

Summer 2022

Pearson Edexcel GCSE  
In Biology (1SC0) Paper 1BH

### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

### **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2022

Publications Code 1SC0\_1BH\_2206\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

**Paper 1SC0 1BH June 2022**

Question number	Answer	Additional guidance	Mark
<b>1(a)</b>	<p>A description linking <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• weak (1)</li> <li>• hydrogen bonds (1)</li> <li>• complementary bases (1)</li> <li>• A – T / C – G (1)</li> </ul>	<p>accept H bonds reject hydro bonds</p> <p>accept the names of the base pair</p>	<p><b>(2)</b></p> <p><b>AO1 1</b></p>

Question number	Answer	Additional guidance	Mark																								
<b>1(b)(i)</b>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>T</td><td>T</td><td>G</td><td>A</td><td>T</td><td>T</td><td>G</td><td>C</td><td>G</td><td>T</td><td>A</td><td>A</td> </tr> <tr> <td>A</td><td>A</td><td>C</td><td>T</td><td>A</td><td>A</td><td>C</td><td>G</td><td>C</td><td>A</td><td>T</td><td>T</td> </tr> </table> <p>award 1 mark for all the As and Ts in the top line correctly paired (1)</p> <p>award 1 mark for all the Cs and Gs in the top line correctly paired (1)</p>	T	T	G	A	T	T	G	C	G	T	A	A	A	A	C	T	A	A	C	G	C	A	T	T	<p>accept lower case letters</p>	<p><b>(2)</b></p> <p><b>AO2 1</b></p>
T	T	G	A	T	T	G	C	G	T	A	A																
A	A	C	T	A	A	C	G	C	A	T	T																

Question number	Answer	Mark
<b>1(b)(ii)</b>	<p>B 4</p> <p><b>The only correct answer is B</b></p> <p><i>A is incorrect because each 3 amino acids would need 9 bases to be present</i></p> <p><i>C is incorrect 6 amino acids would need 18 bases</i></p> <p><i>D is incorrect because 12 amino acids would need 36 bases</i></p>	<p><b>(1)</b></p> <p><b>AO2 1</b></p>

Question number	Answer	Mark
1(b)(iii)	<p>D double helix</p> <p><b>The only correct answer is D</b></p> <p><i>A is incorrect because a DNA molecule is not three separate strands</i></p> <p><i>B is incorrect because the DNA molecule consists of two strands</i></p> <p><i>C is incorrect because a DNA molecule is a double helix not a single helix</i></p>	<p><b>(1)</b></p> <p><b>AO1 1</b></p>

Question number	Answer	Additional guidance	Mark
1(c)(i)	<p>An explanation linking <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• (protease) breaks down proteins (1)</li> <li>• in the {cell/nuclear} membrane (1)</li> <li>• destroys enzymes (that may break down the DNA) (1)</li> </ul>	<p>accept break down the {cell/nucleus/cell wall}</p>	<p><b>(2)</b></p> <p><b>AO1 2</b></p>

Question number	Answer	Additional Guidance	Mark
1(c)(ii)	<p>to precipitate the DNA / because DNA is insoluble in ethanol</p>	<p>accept to see the DNA</p>	<p><b>(1)</b></p> <p><b>AO1 2</b></p>

**Total marks for question 1 = 9 marks**

Question number	Answer	Mark
2(a)(i)	gonorrhoea	(1) A03 1a

Question number	Answer	Additional guidance	Mark
2(a)(ii)	$(66\,000\,000 \div 1000) = 66\,000$ (1)  $(66\,000) \times 3.7 = 244\,200$ (people) or $(3.7 \div 1000) = 0.0037$ (1) $(0.0037) \times 66\,000\,000 = 244\,200$ (people) or $(66\,000\,000 \times 3.7) = 244\,200\,000$ (1) $(244\,200\,000 \div 1000) = 244\,200$	award full marks for correct answer no working  accept answers in standard form  accept 244200 to any incorrect magnitude for one mark	(2) A02 1

Question number	Answer	Additional guidance	Mark
2(a)(iii)	Any one from: <ul style="list-style-type: none"> <li>it is <b>{passed/spread}</b> from <b>person to person</b> (1)</li> <li>caused by bacteria (1)</li> </ul>	accept <b>spread</b> by {sexual contact / body fluids}  accept pathogen ignore caused by a virus	(1) A01 1

Question number	Answer	Additional guidance	Mark
<b>2(a)(iv)</b>	Any one from: <ul style="list-style-type: none"> <li>• avoid sexual contact (1)</li> <li>• use a {condom/femidom} (1)</li> <li>• screen people for an infection (1)</li> <li>• treat the infection/give antibiotics (1)</li> </ul>	accept use a barrier form of contraception  ignore protection / contraception	<b>(1)</b> <b>AO2 1</b>

Question number	Answer	Additional guidance	Mark
<b>2(a)(v)</b>	An explanation including the following: <ul style="list-style-type: none"> <li>• it is {killed/inhibited} by antibiotics (1)</li> <li>• because chlamydia is caused by bacteria (1)</li> </ul>	accept disrupt cell processes (in bacteria) /prevent (bacteria) reproducing  accept antibiotics are used to kill bacteria for 2 marks	<b>(2)</b> <b>AO2 1</b>

Question number	Answer	Additional guidance	Mark
<b>2(b)</b>	An explanation linking the following: <ul style="list-style-type: none"> <li>• HIV {destroys white blood cells / reduces the number of white blood cells} (1)</li> <li>• which compromises the immune system / making the person more susceptible to other {pathogens / infections / diseases} (1)</li> </ul>	accept named white blood cells  accept weakens the immune system  ignore more susceptible to AIDS	<b>(2)</b> <b>AO2 1</b>

**Total for question 2 = 9 marks**



Question number	Answer	Additional guidance	Mark
3(a)(i)	<p>An explanation including <b>four</b> of the following:</p> <ul style="list-style-type: none"> <li>• by natural selection / evolution (1)</li> <li>• mutation in the bacterium /variation in the population (1)</li> <li>• only the resistant bacteria <b>survived treatment by antibiotics</b> / resistant bacteria survive when people <b>don't finish the course</b> (1)</li> <li>• the resistant bacteria {reproduce / divide} (1)</li> <li>• offspring inherit the resistance / resistance passed onto future generations / process repeats increasing level of resistance (1)</li> </ul>	<p>accept <i>Klebsiella</i> for bacteria</p> <p>accept they evolve</p> <p>accept some bacteria have a {<b>gene/allele</b>} for antibiotic resistance</p> <p>accept non-resistant bacteria killed <b>by antibiotics</b></p> <p>ignore offspring are identical</p>	<p><b>(4)</b></p> <p><b>A02 1</b></p>

Question number	Answer	Additional guidance	Mark
3(a)(ii)	people not completing their course of antibiotics/overuse of antibiotics	<p>accept acted as a selection pressure</p> <p>accept being used to treat viruses/examples</p> <p>ignore misuse unqualified</p>	<p><b>(1)</b></p> <p><b>A01 1</b></p>

Question number	Answer	Mark
3(a)(iii)	<p>B it does not have a nucleus</p> <p><b>The only correct answer is B</b></p> <p><i>A is incorrect because prokaryotic cells do not have chloroplasts</i></p> <p><i>C is incorrect because prokaryotic cells have ribosomes</i></p> <p><i>D is incorrect because prokaryotic cells can reproduce without a host</i></p>	<p><b>(1)</b></p> <p><b>AO1 1</b></p>

Question number	Answer	Additional guidance	Mark
3(b)	<p>A description including three of the following:</p> <ul style="list-style-type: none"> <li>• the antibiotic would go through a development phase (1)</li> <li>• pre-clinical (stage / trials) (1)</li> <li>• testing on animals / testing <i>in-vitro</i> / on cells (1)</li> <li>• clinical (stage / trials) (1)</li> <li>• testing on (healthy) volunteers / testing on patients (1)</li> <li>• double-blind trials (1)</li> </ul>	<p>accept examples of the development phase</p> <p>accept named animals</p> <p>accept a description of double-blind trials e.g. placebo and drug</p>	<p><b>(3)</b></p> <p><b>AO2 1</b></p>

**Total for question 3 = 9 marks**

Question number	Answer	Additional guidance	Mark
4(a)	milk B contains fat / milk B had a high fat content	accept milk B is less dense  accept lipid / oil	(1)  <b>A02 2</b>

Question number	Answer		Mark
4(b)(i)	An explanation including the following: <ul style="list-style-type: none"> <li>lipase digests {fat/lipid} (1)</li> <li>forming fatty acids (and glycerol) (1)</li> <li>which are acidic / <b>lowering</b> the pH of the mixture / making the mixture more acidic (1)</li> </ul>	accept breakdown for digest  accept removing fat makes the milk more acidic	(3)  <b>A01 2</b>

Question number	Answer	Additional guidance	Mark
4(b)(ii)	An explanation linking <b>two</b> from: <ul style="list-style-type: none"> <li>milk A did not contain any/much fat (1)</li> <li>fatty acids were not produced</li> <li>as there was no <b>substrate</b> (1)</li> </ul>	accept lipids  accept fewer fatty acids were produced	(2)  <b>A02 2</b>

Question number	Answer	Additional Guidance	Mark
4(b)(iii)	<p>An explanation linking <b>three</b> of the following:</p> <ul style="list-style-type: none"> <li>• the temperature is above the optimum (1)</li> <li>• the {lipase / enzyme} <b>denatures</b> (1)</li> <li>• so <b>active site</b> changes shape (1)</li> <li>• no enzyme -substrate complexes formed / no longer complementary to the substrate / cannot bind the substrate (1)</li> </ul>	<p>accept the temperature was high</p> <p>reject {enzyme / lipase} is killed</p> <p>accept so it could not break down the fat / no fatty acids produced</p>	<p><b>(3)</b></p> <p><b>A02 2</b></p>

**Total for question 4 = 9 marks**

Question number	Answer	Additional guidance	Mark
<b>5(a)</b>	<p>A description including <b>four</b> of the following:</p> <ul style="list-style-type: none"> <li>• use the {root tip / meristem} (1)</li> <li>• Soften the root (with alcohol/heat/acid) (1)</li> <li>• crush the root onto the slide/take a thin section (1)</li> <li>• Stain the root / named stain (1)</li> <li>• Add a drop of water to the slide (1)</li> <li>• Add a cover slip (1)</li> </ul>	<p>accept the end of the root for root tip</p> <p>accept description of a root squash accept use a layer of cells</p> <p>accept dye ignore ink</p> <p>accept another slide / description of a cover slip</p>	<p><b>(4)</b></p> <p><b>A03 3a</b></p>

Question number	Answer	Additional guidance	Mark
<b>5(b)</b>	<p>A description including <b>three</b> from:</p> <ul style="list-style-type: none"> <li>• two cells (1)</li> <li>• diploid cells / same number of chromosomes as parent cell (1)</li> <li>• <b>genetically</b> identical cells (1)</li> <li>• body cells (1)</li> </ul>	<p>accept 23 pairs of chromosomes / 46 chromosomes</p> <p>accept <b>cells</b> for growth / repair</p>	<p><b>(3)</b></p> <p><b>A01 1</b></p>

<b>Question number</b>	<b>Answer</b>	<b>Additional guidance</b>	<b>Mark</b>
<b>5(c)</b>	Select 45 cells in mitosis (1)  (45) ÷ 89 x 100 = 50.561 (1)  50.6	Award full marks for correct answer with no working  ecf for workings that show the use of an incorrect number of cells up to and including 89 cells  ecf if the workings show their answer to 3 s.f.	<b>(3)</b>  <b>A03 2ab</b>

<b>Question number</b>	<b>Answer</b>	<b>Additional Guidance</b>	<b>Mark</b>
<b>5(d)</b>	(makes cell division) uncontrolled	accept idea of cell division being rapid / increased  ignore references to mutation / tumour	<b>(1)</b>  <b>A01 1</b>

**Total for question 5 = 11 marks**

Question number	Answer	Additional guidance	Mark
<b>6(a)(i)</b>	<p>Any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• pig kidneys cannot be used in humans (1)</li> <li>• pig kidneys would be rejected (by humans) (1)</li> <li>• to prevent competition between the pig and the human organ (1)</li> <li>• so the human kidneys form properly (1)</li> </ul>	<p>ignore so it grows human kidneys</p> <p>accept so there is room for the human kidneys</p>	<p><b>(1)</b></p> <p><b>A02 1</b></p>

Question number	Answer	Mark
<b>6(a)(ii)</b>	<p>An explanation linking <b>two</b> from:</p> <ul style="list-style-type: none"> <li>• stem cells {are undifferentiated / are unspecialised / can differentiate / become specialised / form any type of cell} (1)</li> <li>• so can produce the {kidney / kidney cells / kidney tissue} (1)</li> <li>• that won't be rejected (when transplanted) (1)</li> </ul>	<p><b>(2)</b></p> <p><b>A01 1</b></p>

Question number	Answer	Additional guidance	Mark
6(b)(i)	<p>A comparison including <b>three</b> of the following:</p> <ul style="list-style-type: none"> <li>the number of transplants needed increased rapidly but the number of donors {only increased slightly /remained low} (1)</li> <li>from {2014 / 2015} the numbers of transplants required decreased (1)</li> <li>the number of donors available was always lower than the number of transplants needed (1)</li> <li>comparison of figures from the graph of the number of people needing an organ and donating an organ (1)</li> </ul>	<p>accept peaked in {2014 / 2015}</p> <p>accept there are not enough donors for the transplants needed</p> <p>accept a comparative mathematical manipulation of the data</p>	<p><b>(3)</b></p> <p><b>A03 2ab</b></p>

Question number	Answer	Mark
6(b)(ii)	not enough donors are available / to increase the number of organs for donation / to meet the demand for organ transplants	<p><b>(1)</b></p> <p><b>A03 2b</b></p>



Question number	Indicative content	Mark
6(c)	<p style="text-align: center;"><b>AO1</b></p> <ul style="list-style-type: none"> <li>• the gene that codes for human insulin is identified</li> <li>• in the human DNA</li> <li>• this is removed using a restriction enzyme</li> <li>• the plasmid of a bacterial cell is removed</li> <li>• using lysosomes/lysozyme</li> <li>• the plasmid is cut open</li> <li>• using (the same) restriction enzyme</li> <li>• leaving complementary sticky ends</li> <li>• the human gene is inserted into the bacterial plasmid</li> <li>• using the enzyme ligase</li> <li>• the plasmid is returned to the bacterial cell</li> <li>• the bacterial cell multiplies</li> </ul>	(6)

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	<ul style="list-style-type: none"> <li>• Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1)</li> <li>• Presents an explanation with some structure and coherence. (AO1)</li> </ul>
Level 2	3-4	<ul style="list-style-type: none"> <li>• Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or underdeveloped. (AO1)</li> <li>• Presents an explanation that has a structure which is mostly clear, coherent and logical. (AO1)</li> </ul>
Level 3	5-6	<ul style="list-style-type: none"> <li>• Demonstrates accurate and relevant biological understanding throughout. Understanding of scientific ideas is detailed and fully developed. (AO1)</li> <li>• Presents an explanation that has a well developed structure which is clear, coherent and logical. (AO1)</li> </ul>

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	<ul style="list-style-type: none"> <li>• A brief understanding of the removal of the human gene or how the bacterial cell is altered</li> <li>• The process described links to the next or a key aspect of the process</li> </ul>
Level 2	3-4	<ul style="list-style-type: none"> <li>• A brief understanding of both the removal of the human gene and the use of a plasmid / bacterial DNA / vector</li> <li>• Linked to the use of at least one correct enzyme</li> </ul>
Level 3	5-6	<ul style="list-style-type: none"> <li>• A clear understanding of the removal of the human gene, the use of the bacterial plasmid including one correct enzyme, and insertion of the (recombinant) plasmid into a bacterium</li> <li>• Linked to the correct enzymes for removal of the gene and the insertion into the plasmid AND the role of sticky ends</li> </ul>

Level	Mark	Examples of answers
	0	No rewardable material.
Level 1	1-2	<ul style="list-style-type: none"> <li>• The human insulin gene is inserted into the bacterial DNA - 1</li> <li>• Cut the human insulin gene from a cell and insert it into the bacteria - 2</li> <li>• Cut the human insulin gene leaving sticky ends - 2</li> </ul>
Level 2	3-4	<ul style="list-style-type: none"> <li>• Cut the human insulin gene and cut a plasmid. Insert the gene into the plasmid DNA - 3</li> <li>• Cut the human insulin gene and cut a plasmid with restriction enzymes. Insert the gene into the plasmid DNA - 4</li> <li>• Remove the insulin gene using restriction enzymes and cut the plasmid with the same restriction enzyme, Use ligase to insert the gene into the plasmid - 4</li> </ul>
Level 3	5-6	<ul style="list-style-type: none"> <li>• Cut the insulin gene using a restriction enzyme that leaves sticky ends. Cut the plasmid DNA with the same restriction enzyme and insert the gene into the plasmid. Insert the recombinant plasmid back into the bacteria - 5 (no ligase)</li> <li>• Cut the insulin gene using a restriction enzyme. Cut the plasmid DNA with the same restriction enzyme and insert the gene into the plasmid. Insert the recombinant plasmid back into the bacteria - 5 (no sticky ends)</li> <li>• Cut the insulin gene using a restriction enzyme that leaves sticky ends. Cut the plasmid DNA with the same restriction enzyme to leave complementary sticky ends. Join the gene and the plasmid using ligase. Insert the recombinant plasmid back into the bacteria - 6</li> </ul>

**Total for question 6 = 13 marks**