

**GCSE (9-1)**

**Combined Science B (Twenty First Century)**

Unit **J260/03**: Physics

General Certificate of Secondary Education

**Mark Scheme for June 2018**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

<b>Annotation</b>	<b>Meaning</b>
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

	<b>Assessment Objective</b>
<b>AO1</b>	<b>Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.</b>
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
<b>AO2</b>	<b>Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.</b>
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
<b>AO3</b>	<b>Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.</b>
<b>AO3.1</b>	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
<b>AO3.2</b>	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
<b>AO3.3</b>	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question		Answer	Marks	AO element	Guidance
1	(a)	radio waves ✓	1	1.1	
	(b) (i)	ultraviolet ✓	1	2.1	
	(b) (ii)	(blackened) thermometer (bulb) <b>OR</b> thermistor <b>OR</b> temperature sensor ✓  detects rise in temperature ✓	2	2.1 x 2	<b>ALLOW</b> use hand/skin <b>ALLOW</b> infrared camera  <b>ALLOW</b> it would feel hot/warmer.
	(c)	Example, e.g. Heating / cooking / communication (signals) / TV remote control / astronomy / thermal cameras / rangefinders ✓	1	1.1	<b>ALLOW</b> any correct example <b>ALLOW</b> to detect (breast) cancer <b>IGNORE</b> Night vision goggles etc.

Question		✓ Answer	Marks	AO element	Guidance
2	(a)	force ✓ attraction ✓ mass ✓	3	1.1 2.1 2.1	<b>ALLOW</b> force and attraction in either order
	(b)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 26 (N) award 2 marks</b>  = $2.6 \times 10$ ✓ = 26 (N) ✓	2	2.1 x2	
	(c)	Take a reading of the pan only ✓  Take reading of egg and subtract reading of pan ✓	2	1.2 x2	<b>ALLOW</b> zero newton meter with pan on and then take reading with egg for 2 marks

Question		Answer	Marks	AO element	Guidance
3	(a)	Weight OR gravitational attraction ✓ Downwards ✓  (normal) reaction ✓ Upwards ✓	4	1.1 x4	<b>Allow</b> reverse order Note: no direction mark if force is <b>WRONG</b> or <b>missing</b> .  <b>ALLOW</b> gravity <b>ALLOW</b> down onto the slide <b>IGNORE</b> down the slide  <b>IGNORE</b> Reactant / upthrust / upforce
	(b)	(i) Friction ✓	1	2.1	
		(ii) <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 200 (N) award 2 marks</b>  = $40 \times 5$ ✓ = 200 (N) ✓	2	2.1 x2	
	(c)	Tick in the second box (two arrows both the same length) ✓	1	2.1	



Question		Answer	Marks	AO element	Guidance												
4	(a)	<p><b>FIRST CHECK THE ANSWER ON ANSWER LINE</b>  <b>If answer = 13.75/13.8 award 2 marks</b></p> <p><math>165 \div 12 \checkmark</math>  <math>= 13.75 / 13.8 \checkmark</math></p> <p>A / amp(s) / ampere(s) <math>\checkmark</math></p>	3	2.1 x2  1.2													
	(b)	<table border="1"> <thead> <tr> <th></th> <th>True</th> <th>False</th> </tr> </thead> <tbody> <tr> <td>If the current changes the resistance of the heating element remains constant.</td> <td></td> <td><math>\checkmark</math></td> </tr> <tr> <td>The size of the current depends on the potential difference across the heating element.</td> <td><math>\checkmark</math></td> <td></td> </tr> <tr> <td>The size of the current depends on the resistance of the heating element.</td> <td><math>\checkmark</math></td> <td></td> </tr> </tbody> </table>		True	False	If the current changes the resistance of the heating element remains constant.		$\checkmark$	The size of the current depends on the potential difference across the heating element.	$\checkmark$		The size of the current depends on the resistance of the heating element.	$\checkmark$		3	1.1 x3	
	True	False															
If the current changes the resistance of the heating element remains constant.		$\checkmark$															
The size of the current depends on the potential difference across the heating element.	$\checkmark$																
The size of the current depends on the resistance of the heating element.	$\checkmark$																
	(c) (i)	Chemical $\checkmark$	1	1.1													
	(ii)	doing work $\checkmark$ heating $\checkmark$	2	2.1 x2													
	(iii)	Thermal $\checkmark$	1	1.1													
	(d) (i)	Recall Power = energy (transferred) / time <b>OR</b> $P = E / t$ <b>OR</b> energy (transferred) = power x time <b>OR</b> $E = P t \checkmark$	1	1.1													
	(ii)	<p><b>FIRST CHECK THE ANSWER ON ANSWER LINE</b>  <b>If answer = 9900 (J) award 2 marks</b></p> <p><math>= 165 \times 60 \checkmark</math>  <math>= 9900 \text{ (J)} \checkmark</math></p>	2	2.1 x2	ECF from (d)(i)												

Question			Answer	Marks	AO element	Guidance
5	(a)	(i)	Transverse: disturbance/oscillation is perpendicular <b>OR</b> at right angles to direction of motion ✓  Longitudinal: disturbance/oscillation is parallel to direction of motion ✓	2	1.1 x 2	<b>ALLOW</b> diagrams with direction of travel labelled and direction of disturbance/oscillation shown to be perpendicular for transverse, parallel for longitudinal.
		(ii)	Reflected ✓	1	2.1	
	(b)	(i)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 5000 (m/s) award 2 marks</b>  $18000 \times 1000 / 60 \times 60$ ✓ $= 5000$ (m/s) ✓	2	1.2 2.2	<b>ALLOW</b> divide by 3600
		(ii)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 2700 (m) award 3 marks</b>  Choose speed from table 1500 (m/s) ✓  $= 1500 \times 1.8$ ✓ $= 2700$ (m) ✓	3	2.2 2.1 x2	
		(iii)	depth = $(2700 \div 2$ <b>OR</b> $1500 \times 0.9) = 1350$ (m) ✓	1	2.2	<b>ALLOW ECF</b> from (b)(ii)
	(c)		<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 0.21 (m) award 4 marks</b>  Unit conversion: 20 kHz = 20 000 Hz ✓  $= 4100 \div 20\,000$ ✓ $= 0.205$ ✓  $= 0.21$ (m) (2 decimal places) ✓	4	1.2 2.1 2.1 1.2	<b>ALLOW</b> 2 marks for 205 (no unit conversion done)

Question			Answer	Marks	AO element	Guidance
6	(a)	(i)	Measuring cylinder ✓	1	3.3a	<b>DO NOT ALLOW</b> beaker <b>IGNORE</b> water
		(ii)	<p><b>Any two from:</b></p> <p>The stone is covered with water. ✓</p> <p>The can is full to the level of the spout. ✓</p> <p>The measuring cylinder starts empty. ✓</p> <p>All the displaced water is collected. ✓</p> <p>Fingers are not immersed in water when the stone is added. ✓</p>	2	3.3a x 2	<b>IGNORE</b> Repeat(s) <b>ALLOW</b> Water does not splash out of the can. <b>ALLOW</b> The measuring cylinder is read at eye level <b>OR</b> to bottom of meniscus.
	(b)		Mass per unit volume <b>OR</b> volume of 1 kg of something <b>OR</b> mass of a known volume	1	1.1	<b>ALLOW</b> mass divided by volume
	(c)	(i)	<p><b>FIRST CHECK ANSWER ON ANSWER LINE</b> <b>If answer = 44(.0) (cm<sup>3</sup>) award 2 marks</b></p> <p>43.0 + 44.5 + 43 + 45 + 44.5 ✓ = 44(.0) (cm<sup>3</sup>) ✓</p>	2	2.2 x 2	
		(ii)	<p><b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 5 (g/cm<sup>3</sup>) award 3 marks</b></p> <p>Recall density = mass ÷ volume ✓</p> <p>= 220 ÷ 44 ✓ = 5 (g/cm<sup>3</sup>) ✓</p>	3	1.2 2.1 x 2	<b>ECF</b> volume from (c)(i)
	(d)	(i)	Haematite ✓	1	3.2b	<b>ECF</b> density from (c)(ii)

Question		Answer	Marks	AO element	Guidance
	(ii)	<p><b>Any three from:</b>            (Sundip is correct)            You can't tell between two types of rocks with same density. ✓            Relevant example from table. ✓            You can rule out rocks of different density. ✓            You can't tell if there are other rocks not in the table with same density ✓</p>	3	3.2a x 3	<p><b>ALLOW</b> 'You can only rule out rocks (in the table), you can't say it is one (in the table)' ✓✓</p> <p><b>ALLOW</b> it might be a rock not in the table.</p>

Question		Answer	Marks	AO element	Guidance
7	(a)	The (average) time it takes ✓ For the number of nuclei (of an isotope in a sample) to halve ✓	2	2x 1.1	<b>ALLOW</b> average time for activity/count rate to halve ✓✓
	(b)	Chooses a count rate <b>AND</b> $\frac{1}{2}$ initial value <b>OR</b> $\frac{1}{4}$ ✓ 10 (minutes) ✓	2	2x 2.2	<b>ALLOW</b> between 10 and 11 inclusive

Question		Answer	Marks	AO element	Guidance
8	(a)	Jack <b>AND</b> Two forces <b>OR</b> more than one force is needed ✓	1	1.1	<b>DO NOT ALLOW</b> a tick for Jack without a reason
	(b) (i)	Wear eye protection / goggles ✓  Protect feet from weights falling e.g. bucket to catch weights ✓	2	3.3a x2	Either order <b>ALLOW</b> protect floor/bench from weights falling
	(ii)	with mass/weight on spring: Record position of end of spring OR measure length of spring ✓  with no mass/weight on spring: Record position of end of spring OR measure length of spring ✓  Find the difference/subtract to get the extension. ✓	3	3 x 2.2	<b>ALLOW</b> description of setting zero on ruler to unstretched length of spring for 2 <sup>nd</sup> and 3 <sup>rd</sup> mark.
	(iii)	90 (cm) ✓	1	3.1a	
	(c)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 2.8 (N) award 4 marks</b>  Recall $F = kx$ ✓  Conversion: $35(\text{cm}) = 0.35(\text{m})$ ✓  $F = 8.0 \times 0.35$ ✓ $= 2.8 (\text{N})$ ✓	4	1.2  1.2  2.1 x2	<b>ALLOW</b> 3 marks for 280 (unit not converted)
	(d)	Rubber band: The graph is not a straight line/is not linear / The extension is not proportional to the force. ✓  Spring: The graph is a straight line /is linear/ The extension is proportional to the force. ✓	2	1.1 x 2	Answer can be shown by sketch graph

Question		Answer	Marks	AO element	Guidance
9	(a)	<b>Any five from:</b> Shown on diagram or written: central nucleus ✓ containing protons ✓ containing neutrons ✓ shells of / orbiting electrons ✓ nucleus positive ✓ electrons negative ✓ electron shell structure e.g. 2,8,8 ✓	5	5 x 1.1	<b>ALLOW</b> protons positive/neutrons no charge
	(b) (i)	$10^{-10}$ m ✓	1	1.1	
	(ii)	much smaller / about a 1000 times smaller ✓	1	1.1	<b>DO NOT ALLOW</b> smaller unqualified <b>ALLOW</b> Tiny <b>ALLOW</b> converse e.g much bigger
	(c) (i)	electrons ✓	1	1.1	<b>ALLOW</b> negative particles
	(ii)	idea of matter /stuff / continuous medium ✓ containing electrons ✓ matter positive OR electrons negative ✓	3	3 x 1.1	<b>ALLOW</b> 'like pudding with (electrons as) plums/currants' <b>DO NOT ALLOW</b> reference to (electron) shells
	(d)	number of neutrons / mass /mass number ✓ <b>OR</b> carbon 14 has two more neutrons(than carbon 12) / carbon 12 has two fewer neutrons than carbon 14 ✓✓	2	2 x 2.1	<b>ALLOW</b> Atomic mass/RAM  correct reference to size of difference in number of neutrons gains both marks

Question	Answer	Marks	AO element	Guidance
10*	<p><i>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</i></p> <p><b>Level 3 (5–6 marks)</b> Correctly chooses transformer B based on correct calculations. <b>AND</b> Justified based on an evaluation of the data.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p><b>Level 2 (3–4 marks)</b> Correctly chooses transformer B, based on attempt to complete the calculations. <b>AND</b> An attempt to justify choice based on an evaluation of the data. <b>OR</b> Chooses transformer A or C (incorrect choice), based on attempt to complete the calculations. <b>AND</b> An attempt to justify choice based on an evaluation of the data.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p><b>Level 1 (1–2 marks)</b> States a transformer <b>and</b> provides a reason for the choice.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b> <i>No response or no response worthy of credit.</i></p>	6	1 x 3.2a 3 x 2.1 2 x 3.1b	<p><b>AO3.2a Analyse information and ideas to make judgements</b> Transformer B chosen</p> <p><b>AO2.1 Apply knowledge and understanding of how to calculate currents and p.d.s</b> For example</p> <ul style="list-style-type: none"> <li>• substitutes values into equation <math>IV</math> in primary = <math>IV</math> in secondary</li> <li>• in secondary: <math>12\text{ V} \times 3\text{ A} = 36\text{ W}</math></li> <li>• In primary: <math>36\text{ W} \div 230\text{ V} = 0.16\text{ A}</math></li> <li>• <b>A</b> <math>30\text{ W} \div 12\text{ V} = 2.5\text{ A}</math></li> <li>• <b>B</b> <math>60\text{ W} \div 12\text{ V} = 5\text{ A}</math></li> </ul> <p><b>AO3.1b Analyse data and evaluate which transformer is suitable</b> For example</p> <ul style="list-style-type: none"> <li>• Transformer B is suitable because power <math>60\text{ W} &gt; 36\text{ W}</math> <b>OR</b> Transformer A is too low power because power <math>30\text{ W} &lt; 36\text{ W}</math> <b>OR</b> same analysis with calculated <math>2.5\text{ A}</math> or <math>5\text{ A}</math> compared with <math>3\text{ A}</math> required</li> <li>• Transformer C is unsuitable</li> <li>• because p.d. is not <math>12\text{ V}</math></li> </ul>



**OCR (Oxford Cambridge and RSA Examinations)**  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2018

 **Cambridge  
Assessment**

