

GCSE (9-1)

Combined Science B (Twenty First Century)

Unit **J260/01**: Biology

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

| Annotation | Meaning |
|---|--|
|  | Correct response |
|  | Incorrect response |
|  | Omission mark |
|  | Benefit of doubt given |
|  | Contradiction |
|  | Rounding error |
|  | Error in number of significant figures |
|  | Error carried forward |
|  | Level 1 |
|  | Level 2 |
|  | Level 3 |
|  | Benefit of doubt not given |
|  | Noted but no credit given |
|  | Ignore |

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation | Meaning |
|---------------------|---|
| / | alternative and acceptable answers for the same marking point |
| ✓ | Separates marking points |
| DO NOT ALLOW | Answers which are not worthy of credit |
| IGNORE | Statements which are irrelevant |
| ALLOW | Answers that can be accepted |
| () | Words which are not essential to gain credit |
| — | Underlined words must be present in answer to score a mark |
| ECF | Error carried forward |
| AW | Alternative wording |
| ORA | Or reverse argument |

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

| | Assessment Objective |
|--------------|---|
| AO1 | Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures. |
| AO1.1 | Demonstrate knowledge and understanding of scientific ideas. |
| AO1.2 | Demonstrate knowledge and understanding of scientific techniques and procedures. |
| AO2 | Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures. |
| AO2.1 | Apply knowledge and understanding of scientific ideas. |
| AO2.2 | Apply knowledge and understanding of scientific enquiry, techniques and procedures. |
| AO3 | Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures. |
| AO3.1 | Analyse information and ideas to interpret and evaluate. |
| AO3.1a | Analyse information and ideas to interpret. |
| AO3.1b | Analyse information and ideas to evaluate. |
| AO3.2 | Analyse information and ideas to make judgements and draw conclusions. |
| AO3.2a | Analyse information and ideas to make judgements. |
| AO3.2b | Analyse information and ideas to draw conclusions. |
| AO3.3 | Analyse information and ideas to develop and improve experimental procedures. |
| AO3.3a | Analyse information and ideas to develop experimental procedures. |
| AO3.3b | Analyse information and ideas to improve experimental procedures. |

| Question | | Answer | Marks | AO element | Guidance |
|----------|---------|---|-------|------------|--|
| 1 | | animal ✓ bacterial ✓ plant ✓ | 3 | 3 x 1.1 | |
| 2 | (a) | stimuli ✓ glands ✓ blood ✓ receptors ✓ response ✓ | 5 | 5 x 1.1 | |
| | (b) | Any three from: Oestrogen, FSH and LH levels drop ✓ Then oestrogen level increases (to a lower peak, around day 25) and then decreases (to a low, at day 28) ✓ After decreasing, FSH level begins to increase again (from around day 23) ✓ After decreasing, LH level stays constant/low ✓ Idea that all hormones return to their day 0 levels by day 28 ✓ Progesterone level increases and then decreases ✓ | 3 | 3 x 3.1a | IGNORE all hormone levels drop |
| | (c) (i) | The hormones prevent ovulation. ✓ | 1 | 1.1 | |
| | (ii) | hormone pills do not reduce risk of spreading STIs ✓ | 1 | 1.1 | ALLOW named STI ALLOW idea of forgetting to take the pill IGNORE not 100% effective |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|-------|--|-------|-----------------|--|
| 3 | (a) | (i) | The genome is the entire genetic material of an organism. ✓ In most organisms, the genome is packaged into chromosomes. ✓ | 2 | 2 x 1.1 | |
| | | (ii) | 3 ✓ 5 ✓ | 2 | 2 x 1.1 | ALLOW in either order |
| | | (iii) | 10^6 ✓ | 1 | 2.2 | |
| | (b) | (i) | Jack ✓ | 1 | 2.1 | |
| | | (ii) | Kai ✓ | 1 | 2.1 | |
| | | (iii) | Nina ✓ | 1 | 2.1 | |
| 4 | (a) | | measuring cylinder ✓ | 1 | 2.2 | ALLOW any clear indication of correct choice |
| | (b) | (i) | carbon dioxide ✓ | 1 | 1.1 | |
| | | (ii) | bubbles may be too quick to count/bubbles not all the same size ✓ using syringe/measuring volume increases the accuracy of the data ✓ | 2 | 1.2 3.3b | ALLOW bubbles may be missed ALLOW increases the precision |
| | (c) | (i) | Yeast respire fastest using glucose ✓ | 1 | 3.2b | |
| | | (ii) | 30 (cm ³) ✓ | 1 | 2.1 | |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----------|---|-------|------------|--|
| | (c) (iii) | The yeast has used up all the glucose ✓ No more gas is being made by anaerobic respiration. ✓ | 2 | 2 x 2.1 | |
| | (d) | Boil the yeast to kill it before adding the sugar. ✓ | 1 | 3.3a | |
| | (e) | glucose ✓ lactic acid ✓ | 2 | 2 x 1.1 | Answers must be in the correct order ALLOW any clear indication of correct choice |
| | (f) | active transport ✓ | 1 | 1.1 | |
| 5 | (a) (i) | dissolved food molecules ✓ oxygen ✓ | 2 | 2 x 2.1 | ALLOW any clear indication of correct choice |
| | (ii) | these substances are needed for aerobic respiration ✓ any idea that (aerobic) respiration takes place in mitochondria ✓ | 2 | 2 x 1.1 | ALLOW idea that cell A does more work or needs more ATP/energy IGNORE the cell has more mitochondria |
| | (b) (i) | X /artery has thicker walls / Y /vein has thinner walls ✓ | 1 | 2.1 | ALLOW X has thicker muscle / Y has thinner muscle X has a smaller lumen/ Y has a larger lumen ALLOW the correct comparison DO NOT ALLOW X has a thicker cell wall |
| | (ii) | valve(s) ✓ | 1 | 1.1 | |
| | (iii) | (x) 400 ✓ | 1 | 2.2 | |

| Question | | Answer | Marks | AO element | Guidance |
|----------|---------|--|-------|------------|---|
| | (c) (i) | <p>any one from: coronary artery/blood vessel is blocked ✓ blood/oxygen is not reaching part of the heart / cardiac muscle ✓</p> <p>plus: the idea of an alternative route for the blood/oxygen that avoids the blockage ✓</p> | 2 | 2 x 2.1 | <p>IGNORE named parts of the heart</p> <p>IGNORE named parts of the heart</p> |
| | (ii) | <p>idea that an operation carries a higher risk than a lifestyle change/ an operation has a higher risk ✓</p> <p>example of the risk/disadvantage of operation (e.g. death during surgery / infection / pain) ✓</p> | 2 | 2 x 1.1 | <p>DO NOT ALLOW ideas about benefits for the health service (e.g. cheaper), as the question asks about benefits for Kareem</p> <p>IGNORE general statements referring to a heart attack</p> |
| 6 | (a) (i) | fungus ✓ | 1 | 1.1 | ALLOW any clear indication of correct choice |
| | (ii) | <p>Movement of contaminated plant material ✓</p> <p>Wind-blown spores ✓</p> | 2 | 2 x 1.1 | |
| | (b) (i) | <p>two bars correctly plotted (at 200 and 380) ✓</p> <p>x-axis labelled correctly (years from 2012 to 2016 labelled in the centre of the bars, and title "year") ✓</p> | 2 | 2 x 2.2 | ALLOW +/- half a square at the top of the bar |
| | (ii) | 2013 ✓ | 1 | 3.1a | If no answer ringed check for ring drawn on the graph/table |
| | (iii) | <p>FIRST CHECK ANSWER ON ANSWER LINE If answer = 50.6(%) award 2 marks</p> <p>$(134 \div 265) \times 100$ ✓ = 50.6 (%) ✓</p> | 2 | 2 x 2.2 | DO NOT ALLOW answer if not given to 1 d.p. |

| Question | | Answer | Marks | AO element | Guidance |
|----------|------|--|-------|--------------------------------------|--|
| | (iv) | ash trees are harmed/killed ✓ idea (the fungus) is spreading (quickly) ✓ | 2 | 2.1 3.1b | ALLOW ideas of reducing biodiversity/loss of habitats for 1 mark |
| 7 | (a) | (i) | | | |
| | | idea of how to reduce the temperature using ice (to get 0°C) ✓ idea of how to increase the temperature using a hot plate/water bath (for temperatures above 20°C) ✓ | 2 | 2 x 1.2 | |
| | | (ii) | | | |
| | | The brightness of the lamp. ✓ The level of carbon dioxide in the pond water. ✓ | 2 | 2 x 1.2 | |
| | (b) | (i) | | | |
| | | 9 ✓ | 1 | 2.2 | ALLOW 25 to 34 / 25–34 |
| | | (ii) | | | |
| | | 29.5 ✓ | 1 | 2.2 | ALLOW 29/30 |
| | (b) | (iii) | | | |
| | | as temperature increases the number of bubbles increases/idea of positive correlation ✓ the bubbles are oxygen gas made by photosynthesis / idea that number of bubbles indicates rate of photosynthesis ✓ enzymes used in photosynthesis ✓ idea that as temperature increases so does the rate of (enzymatic) reaction (up to the optimum temperature) ✓ | 4 | 2.1 2.1 1.1 1.1 | this mark is for link between temperature and number of bubbles this mark is for link between bubbles and photosynthesis this mark is for link between temperature and rate of photosynthesis ALLOW increased kinetic energy so more collisions/ increase number of enzyme-substrate complexes |

| Question | | Answer | Marks | AO element | Guidance |
|----------|------|--|-------|------------|---|
| | (iv) | <p>Any two from: Enzymes denatured ✓</p> <p>Substrate doesn't fit into active site(s) ✓</p> <p>So less oxygen is produced ✓</p> <p>fewer enzyme substrate complexes made ✓</p> | 2 | 2 x 2.1 | ALLOW active site changes shape |
| | (c) | <pre> graph LR G[glucose] --- B[Benedict's] S[starch] --- I[iodine] B --- E1[] I --- E2[] style E1 fill:none,stroke:none style E2 fill:none,stroke:none </pre> | 2 | 2 x 2.2 | |
| 8 | (a) | <p>Any two from: Idea that male peacocks are very visible to predators/not well camouflaged ✓</p> <p>Male peacocks are more likely to be eaten ✓</p> | 2 | 2 x 2.1 | ALLOW ideas that their feathers may be desirable to humans/taken for decoration for 1 mark |

| Question | Answer | Marks | AO element | Guidance |
|----------|---|-------|--------------------|---|
| (b) * | <p><i>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</i></p> <p>Level 3 (5–6 marks) Detailed explanation at the genetic level of how the features evolved by natural selection. AND Explains why the bright feathers and large tail are still present.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Explains how the features evolved by natural selection, but lacks reference to what happens to the genetic variants/alleles. AND Explains why the bright feathers and large tail are still present.</p> <p>OR Explanation at the genetic level of how the features evolved by natural selection.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Explains how the features evolved by natural selection, but lacks reference to what happens to the genetic</p> | 6 | 3 x 1.1 3 x 2.1 | <p>AO1.1 Demonstrating knowledge and understanding of natural selection. <i>how the features evolved by natural selection:</i></p> <ul style="list-style-type: none"> • new features/variation caused by a mutation/changes in the DNA • there is competition to survive and reproduce • individuals with phenotypes/features that are beneficial/advantageous are more likely to survive and reproduce • the beneficial/advantageous genetic variants/alleles are passed on • the beneficial/advantageous genetic variants/alleles become more common in the population over generations • so the feature(s) become more common over generations <p>AO2.1 Application of knowledge and understanding in this context <i>why the disadvantageous features are still present:</i></p> <ul style="list-style-type: none"> • bright feathers/large tail help male peacocks to attract mates/peahens • therefore more likely to reproduce and pass on the genetic variants/alleles for these features • the (reproductive) advantage of having the features outweighs the disadvantage |

| Question | | Answer | Marks | AO element | Guidance | | | | | | | | | | | | | | | | | | | | | |
|----------|-----------|--|-------|------------|-----------|---|----|----|---|----|----|---|--|---|--|---|---|--|--|--|--|----|----|---|---------|--------------------|
| | | <p>variants/alleles. OR Explains why the bright feathers and large tail are still present.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p> | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | (a) | <p>Punnett square:</p> <table border="1" style="margin-left: 40px;"> <tr> <td></td> <td>X</td> <td>Y</td> </tr> <tr> <td>X</td> <td>XX</td> <td>XY</td> </tr> <tr> <td>X</td> <td>XX</td> <td>XY</td> </tr> </table> <p>Mother's gametes X and X ✓ Father's gametes X and Y ✓ Correct offspring genotypes ✓</p> <p>Explanation: Identifies males as XY / females as XX ✓</p> <p>Therefore would expect half/50% of births to be males / 1:1 ratio of boys and girls/ probability of each genotype is 0.5✓</p> | | X | Y | X | XX | XY | X | XX | XY | 5 | <p>1.1 1.1 2.1</p> <p>2.1</p> <p>2.1</p> | <p>ALLOW the males/females identified on the Punnett square</p> <p>ALLOW there is an equal chance of having a male/female</p> | | | | | | | | | | | | |
| | X | Y | | | | | | | | | | | | | | | | | | | | | | | | |
| X | XX | XY | | | | | | | | | | | | | | | | | | | | | | | | |
| X | XX | XY | | | | | | | | | | | | | | | | | | | | | | | | |
| | (b) | <table border="1" style="margin-left: 40px;"> <thead> <tr> <th></th> <th>Meiosis ✓</th> <th>Mitosis ✓</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>4</td> <td>2</td> </tr> <tr> <td></td> <td>2</td> <td>1</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>23</td> <td>46</td> </tr> </tbody> </table> <p style="margin-left: 40px;">✓ ✓ ✓</p> | | Meiosis ✓ | Mitosis ✓ | | | | | | | | 4 | 2 | | 2 | 1 | | | | | 23 | 46 | 5 | 5 x 1.1 | Mark independently |
| | Meiosis ✓ | Mitosis ✓ | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 23 | 46 | | | | | | | | | | | | | | | | | | | | | | | | |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|------|---|-------|----------------------|--|
| 10 | (a) | (i) | 0.001 ✓ | 1 | 2.2 | |
| | | (ii) | it is (only) correct for Northern Europe / incorrect for Japan, Southern Europe and United States ✓ Any two data uses from: it is 3/4 for Japan 8/9 for Southern Europe; 11/12 for United States ✓✓ | 3 | 3.2a 2 x 3.1a | ALLOW a mean calculated using the correct data for both data marks ALLOW any mean between 9.25 -10 with no calculation for 1 data mark only |
| | (b) | (i) | FIRST CHECK ANSWER ON ANSWER LINE If answer = 0.02 award 2 marks (15 ÷ 1000 =) 0.015 ✓ = 0.02 (to 1 sig. fig.) ✓ | 2 | 2.2 1.2 | |
| | | (ii) | 7.15 (mmol / l) ✓ | 1 | 2.2 | |
| | (c) | | Any two from: information on lifestyles of people in different countries or example of relevant lifestyle choice, e.g. smoking rates / diet / amount of exercise / stress levels ✓ body mass / weight ✓ pre-existing health conditions eg blood pressure ✓ genetic data (e.g. presence of variants/alleles that increase or decrease risk of heart disease) / family history ✓ | 2 | 2 x 3.3a | ALLOW ideas about obesity/hip to waist ratio |

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2018

 **Cambridge
Assessment**

