

GCSE (9-1)

Combined Science B (Twenty First Century)

Unit **J260/05**: Biology

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
✓	Correct response
×	Incorrect response
^	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
LI	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

J260/05 Mark Scheme June 2018

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
1	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
_	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

	Assessment Objective					
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.					
AO1.1	Demonstrate knowledge and understanding of scientific ideas.					
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.					
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.					
AO2.1	Apply knowledge and understanding of scientific ideas.					
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.					
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.					
AO3.1	Analyse information and ideas to interpret and evaluate.					
AO3.1a	Analyse information and ideas to interpret.					
AO3.1b	Analyse information and ideas to evaluate.					
AO3.2	Analyse information and ideas to make judgements and draw conclusions.					
AO3.2a	Analyse information and ideas to make judgements.					
AO3.2b	Analyse information and ideas to draw conclusions.					
AO3.3	Analyse information and ideas to develop and improve experimental procedures.					
AO3.3a	Analyse information and ideas to develop experimental procedures.					
AO3.3b	Analyse information and ideas to improve experimental procedures.					

C	uestio	n	Answer	Marks	AO element	Guidance
1	(a)		Punnett square: X	5		
			Mother's gametes X and X ✓ Father's gametes X and Y ✓ Correct offspring genotypes ✓		1.1 1.1 2.1	
			Explanation: Identifies males as XY / females as XX ✓		2.1	ALLOW the males/females identified on the Punnett square
			Therefore would expect half/50% of births to be males / 1:1 ratio of boys and girls/ probability of each genotype is 0.5√		2.1	ALLOW there is an equal chance of having a male/female
	(b)		Meiosis ✓ Mitosis ✓	5	5 x 1.1	

Question		Answer	Marks	AO element	Guidance
2 (a	a) (i	0.001 ✓	1	2.2	
	(ii	it is (only) correct for Northern Europe / incorrect for Japan, Southern Europe and United States ✓	3	3.2a	
		Any two data uses from: it is 3/4 for Japan 8/9 for Southern Europe; 11/12 for United States ✓ ✓		2 x 3.1a	ALLOW a mean calculated using the correct data for both data marks ALLOW any mean between 9.25 -10 with no calculation for 1 data mark only
(k) (i	FIRST CHECK ANSWER ON ANSWER LINE If answer = 0.02 award 2 marks	2		
		$(15 \div 1000) = 0.015 \checkmark$ = 0.02 (to 1 sig. fig.) \checkmark		2.2 1.2	
	(ii	7.15 (mmol / <i>l</i>)✓	1	2.2	
(0	:)	Any two from: information on lifestyles of people in different countries or example of relevant lifestyle choice, e.g. smoking rates / diet / amount of exercise / stress levels ✓ body mass / weight ✓ pre-existing health conditions eg blood pressure ✓ genetic data (e.g. presence of variants/alleles that	2	2 x 3.3a	ALLOW ideas about obesity/hip to waist ratio
			ariants/alleles that	ariants/alleles that	ariants/alleles that

	Questic	on	Answer	Marks	AO element	Guidance
3	(a)	(i)	(day) 15 ✓ (because) LH peaked/was at its highest ✓	2	2 x 2.1	ALLOW 14-16 IGNORE references to other hormones
		(ii)	progesterone levels did not decrease ✓ joined to the thickened uterus wall did not break down ✓	2	1.1	
	(b)		FSH/Follicle Stimulating Hormone causes follicle(s)egg to mature/develop ✓ Plus any one from: idea that the treatment/injections will increase likelihood of ovulation/releasing egg(s) ✓ could be used to produce/collect many eggs for IVF ✓	2	2.1	
	(c)		Any four from: thyroxine increases rate of chemical reactions/ controls metabolic rate ✓ thyroxine stimulates/regulates growth ✓ Idea that: thyroxine switches off its own production ✓ thyroxine causes pituitary gland to stop secreting thyroid stimulating hormone/TSH ✓ thyroid gland stops secreting thyroxine ✓ negative feedback ✓	4	4 x 1.1	ALLOW Digestion/ Brain activity

C	Question		Answer	Marks	AO element	Guidance
4	(a)		Any three from: caused by a fungus ✓ spread by spores✓ carried by wind ✓ spread by movement of contaminated plant material ✓	3	3 x 1.1	ALLOW air ALLOW examples of movement eg tyres.
	(b)	(i)	FIRST CHECK ANSWER ON ANSWER LINE If answer = 265 award 3 marks 134 / 0.506 ✓ 264.8 ✓ = 265 (3 sig. figs) ✓	3	3 x 2.2	
		(ii)	Any three from: different numbers of ash trees in the two countries ✓ different environmental conditions eg temperature, moisture, differences in wind speed ✓ ash trees are further apart / ash trees less densely populated / ash trees present in fewer squares in Scotland ✓ More resistant trees ✓ (uncertainty due to) sampling error ✓ less movement of contaminated plant material in Scotland ✓ efforts to control the pathogen ✓	3	3 x 3.2a	

Q	uesti	on	Answer	Marks	AO element	Guidance
	(c)		Any three from: identify (two) ash trees that have survived/show resistance to ash dieback ✓ use genetic testing/sequencing to identify (two) ash trees that have resistance alleles/variants/genes ✓ Breed the (resistant) trees together ✓ Select/choose (most) dieback-resistant offspring (from each generation and repeat) ✓	3	3 x 2.1	
	(d)	(i)	gene ✓ enzyme ✓ gene ✓ plasmid ✓ genome ✓	5	5 x 1.1	
		(ii)	gene/genetic material that codes for toxins may be passed to other organisms toxins could kill/harm other organisms / could be passed along the food chain	2	2 x 2.1	ALLOW risk of protests / destruction/vandalism of genetically engineered corn fields ALLOW Side effects in humans e.g. allergies

Question	Answer	Marks	AO element	Guidance	
5 (a) *	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Describes/interprets the results using knowledge and understanding of natural selection. AND APDIES this knowledge and understanding to explain how/why the isolated populations of flies have become separate species. There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Describes/interprets the results using knowledge and understanding of natural selection. OR Explains how/why the isolated populations of flies have become separate species. OR Suggests that the isolated populations have become separate species because they cannot mate with each other to produce fertile offspring, but does NOT describe the process of natural selection. There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence. Level 1 (1–2 marks) Correctly describes/interprets the pattern in the results. OR Attempts to describe/interpret the pattern in the results AND Attempts to link the results to an explanation of natural selection. There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant. O marks No response or no response worthy of credit.	6	2 x 3.1a 2 x 1.1 2 x 2.1	 AO3.1a Interpreting the results fertile offspring produced when mating male and female were from the same tank / were fed on the same food no fertile offspring produced when male and female were in separate tanks / were fed on different foods AO1.1 Demonstrating knowledge and understanding of natural selection/speciation For example: there is competition to survive and reproduce individuals with phenotypes/features that are beneficial/advantageous are more likely to survive and reproduce this is natural selection the features/genetic variants of these individuals become more common in later generations so the population becomes (better) adapted to its environment when isolated populations change/adapt/evolve over many generations new species may be formed AO2.1 Application of knowledge and understanding in this context For example: two populations of flies are (reproductively) isolated conditions/environment different in each tank there is (genetic) variation within each fly population some flies in each tank will be better able to survive (on the available food) than others these flies are more likely to reproduce and pass on their features/genetic variants after many generations the population in each tank has changes/adapted/evolved differently The flies in tank A and tank B are now different species. 	

J260/05 Mark Scheme June 2018

Q	uestion	Answer	Marks	AO element	Guidance
	(b)	Any two from: (evidence of) similarities/ differences/ comparison between fossils and living organisms ✓ fossils/evidence of transitional species ✓ fossils/evidence of common ancestor(s) of modern species ✓	2	2 x 1.1	DO NOT ALLOW 'the fossil record' unqualified ALLOW example of transitional species (e.g. Archaeopteryx)
	(c)	eukaryote(s) ✓	1	1.1	ALLOW eukaryotic

Question		Answer	Marks	AO element	Guidance
(a)	(i)	first/light-dependent stage ✓	1	1.1	
	(ii)	Any two from:	2	2 x 3.3a	
		surface area/size of pondweed √			DO NOT ALLOW amount
		Intensity of the light ✓			
		concentration of carbon dioxide ✓			ALLOW distance of lamp from pondweed
		Same type/species of pond weed√			The state of the s
	(iii)	measure volume of gas produced using gas syringe ✓ more accurate than counting bubbles ✓	2	3.3b	
		because bubbles may not be the same size/volume ✓		2.2	DO NOT ALLOW accurate unqualified
(b)	(i)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 6.6 (bubbles per minute) award 2 marks	2	2 x 2.2	
		highest rate = 33 bubbles in 5 minutes ✓ = 6.6 (bubbles per minute) ✓			ALLOW 6, 6.6 or 7 bubbles per minute (2 marks)
	(ii)	some other factor / carbon dioxide ✓ limiting ✓	2	2.1	
				1.1	
	(iii)	line the same shape as that of original data up to 30 °C ✓ then continues to rise without a plateau OR plateaus higher than original data ✓	2	2 x 1.2	
(c)		Any two from:	2	2.2	ALLOW any indication of fewer bubbles or less
		(there will be) fewer bubbles ✓			gas produced
		Lower rate/ less of photosynthesis ✓ enzymes denatured/active site changed shape ✓		2.1	ALLOW enzyme stops working.
(4)		Danadiat's (solution)	1	1 2	
	(a)	(a) (i) (ii) (iii) (iii) (c)	 (i) first/light-dependent stage ✓ (ii) Any two from: surface area/size of pondweed ✓ Intensity of the light ✓ concentration of carbon dioxide ✓ Same type/species of pond weed ✓ (iii) measure volume of gas produced using gas syringe ✓ more accurate than counting bubbles ✓ because bubbles may not be the same size/volume ✓ (b) (i) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 6.6 (bubbles per minute) award 2 marks highest rate = 33 bubbles in 5 minutes ✓ = 6.6 (bubbles per minute) ✓ (ii) some other factor / carbon dioxide ✓ limiting ✓ (iii) line the same shape as that of original data up to 30 °C ✓ then continues to rise without a plateau OR plateaus higher than original data ✓ (c) Any two from: (there will be) fewer bubbles ✓ Lower rate/ less of photosynthesis ✓ enzymes denatured/active site changed shape ✓ 	(a) (i) first/light-dependent stage ✓ 1 (ii) Any two from: surface area/size of pondweed ✓ Intensity of the light ✓ concentration of carbon dioxide ✓ Same type/species of pond weed ✓ (iii) measure volume of gas produced using gas syringe ✓ more accurate than counting bubbles ✓ because bubbles may not be the same size/volume ✓ (b) (i) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 6.6 (bubbles per minute) award 2 marks highest rate = 33 bubbles in 5 minutes ✓ = 6.6 (bubbles per minute) ✓ (ii) some other factor / carbon dioxide ✓ limiting ✓ (iii) line the same shape as that of original data up to 30 °C ✓ then continues to rise without a plateau OR plateaus higher than original data ✓ (c) Any two from: (there will be) fewer bubbles ✓ Lower rate/ less of photosynthesis ✓ enzymes denatured/active site changed shape ✓	Answer Answer Answer Answer Answer Answer Element

(Questi	on	Answer	Marks	AO element	Guidance
7	(a)	(i)	it has no nucleus / it has plasmid(s) / it has circular	2	2.1 1.1	
		(ii)	DNA/circular chromosome/ has flagellum ✓ A ✓	2	2.1	
			has nucleus/ no plasmid and has no chloroplast/ no vacuole√		1.1	
		(iii)	mitochondrion/mitochondria √	2	1.1	
			A and C ✓		2.1	Both needed, in any order
	(b)		aerobic ✓ lactic acid ✓ carbon dioxide + ethanol/alcohol ✓	3	3 x 1.1	IGNORE references to ATP/energy throughout ALLOW CO ₂
	(c)	(i)	Any two from: (published in a scientific journal so) it has been checked by other scientists investigation repeated by other scientists/results compared with other scientists peer review investigation repeated by other scientists investigation repeated by investigation of the scientists investigation	2	2 x 1.1	
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 1:19 award 2 marks $2 + 36 = 38 \checkmark$ $2:38 = 1:19 \checkmark$	2	2 x 2.2	1 mark max. if ratio expressed as 2:38
		(iii)	Anaerobic respiration has a faster rate of reaction. ✓ Anaerobic respiration produces ATP more quickly. ✓	2	2 x 2.1	

Question		on Answer	Marks	AO element	Guidance
8	(a)		1	1.1	
	(b)	Function of heart valves: stop back flow of blood to atria from ventricles ✓ Tired and breathless Any two from: delivery of oxygenated blood to body less efficient OWTHE ✓ less oxygen for (cellular) respiration ✓ Jim must breathe deeper/faster to get enough oxygen ✓	3	1.1 2 x 2.1	
	(c)	vein(s) ✓	1	1.1	
	(d)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 6.08 (litres) award 4 marks (90/100) x 80 = 72 (bpm) ✓ (80 + 72) x 40 ✓ = 6080 (cm³) ✓ = 6.08 (litres) ✓	4	3 x 2.2 1.2	ALLOW 72 ALLOW 152 x 40

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office

Telephone: 01223 552552 Facsimile: 01223 552553



